

copyright © 2021

Ruijie Networks Ruijie锐捷 Ruijie锐捷网络 锐捷网络

Ruijie 锐捷网络 Ruijie RGOS® RGNOS
锐捷网络 Ruijie RGOS® RGNOS
锐捷网络 Ruijie RGOS® RGNOS

<http://www.ruijie.com.cn/>

<http://webchat.ruijie.com.cn>

1

RG-AG

RG-AG

1.1 RG-AG320

	RG-AG320
	DDR3 SDRAM 2GB
	BOOTROM 8MB
	FLASH 128MB 1.10 512MB 1.20
	SATA 500G
I/O	WAN 2 10/100/1000M 0/6 0/7 WAN 1000BASE-SX/LX/ZX mini GBIC GE-SFP-LX20/LH40-BIDI
	LAN 6 10/100/1000M 0/0 0/1 0/2 0/3 0/4 0/5 WAN/LAN
	1
	1
	USB 2
	BYPASS
	1
	10Base-T/100Base-TX/1000Base-TX 1000BASE-SX/LX/ZX RS-232
x x mm	440x43.6x200

1-1 RG-



WAN/LAN

0-7	link/ACT	/ / Link
0-7	speed	/
6F-7F		link

1.3 RG-AG515


	RG-AG515											
	DDR3 SDRAM 4GB											
	BOOTROM 8MB											
	FLASH 512MB											
	SATA 500G											
I/O		8		4							WAN/LAN	
		0/0	0/1	0/2	0/3	LAN	0/4	0/5	0/6	0/7	WAN	
		4										
			10/100/1000M									
			1000BASE-SX/LX/ZX mini GBIC					GE-SFP-LX20/LH40-BIDI				
			1									
			1									
	USB	2										
	OBS	BYPASS 2										
BYPASS		BYPASS	0/2-0/4	0/3-0/5							BYPASS	
		BYPASS										
		2	RG-M5000E-AC60				2					
		2		1		SATA0						
	10Base-T/100Base-TX/1000Base-TX 1000BASE-SX/LX/ZX											

a RG-AG515

a

a AG BYPASS AG BYPASS
 AG BYPASS VLAN

1-5 RG-AG515



1-6 RG-AG515




PWR0	0 0 0
PWR1	1
	/ Link

1.4

1.4.1 RG-M5000E-AC60

1-7 RG-M5000E-AC60

2



	AC

	RG-M5000E-AC60
	RG-AG515
	100-240V~ 50-60Hz
	90~264V~ 50-60Hz
	60W
	1+1
	13.4~16V
	6~12A

2

2.2.2

	0.5	1	3	5
	1.4×10 ⁷	7×10 ⁵	2.4×10 ⁵	1.3×10 ⁵

	mg/m ³	mg/m ³
	0.2	1.5
	0	0.03
	0.04	0.15
	0.05	0.15
	0.01	0.3

2.2.3

2.2.4

2.2.5


19"

2.3

	HUB PC

3

3.1



3.2

3.3

RG-AG


100-240V~/50-60H

3.4

RG-AG

1

3-1 RG-AG




3.5

RG-AG

EIA/TIA-232

Console

WEB



	2.
	3.


DB-9

3.6


4

4.1 Console

- 1) Console RS232 Console Windows
 - 2) Hyperterm
 - 3) 9600 8 1 4-3
 - 4) " " -> " " -> " " VT100 4-4
- 4-1



4-2 Console



4.2

a

" ON"

" "

5

5.1

PWR