

RG-AP630(CD)

V1.03

• ´ Ñ f

copyright © 2019



± • Ñ f

ø W

„Đ Ÿ

ê ± V

” <http://www.ruijie.com.cn/>

” <http://ocs.ruijie.com.cn>

” <http://www.ruijie.com.cn/fw/>

” 7 × 24 4008-111-000

”

” <http://bbs.ruijie.com.cn/portal.php>

” <http://www.ruijie.com.cn/fw/wt/>

” 4008111000@ruijie.com.cn

g é á “ ,

a _É c > A c " ü ´ / ë _É ¹ » d

\c"µc¬*cs ´• M í) û i ‘ à i

;
s !6 [Æ ã) û i ‘ à i d

1 G c o \$

AP	1	
	1	
	1	
	1	
304,M8 × 20	4	
304,M8 × 40	2	
PG	1	
(V2.00)	1	
	1	




PG



3 RG-AP630(CD) Ø O B / L


RG-AP630 CD




1 Console 3 10/100/1000Base-T / POE IN 4 ETH SFP

4 V ¿ ? ¿

AP â;o Ô m]n È Tl~• m ``•y• m]n



2) M8 × 40 () AP



7 ù μ G

a




b

M8x40




AP

B



M8x40

AP



RG-AP630(CD) [< p & m n ~ m ° ¥ ä ä G 0 æ p & ¢ ,

É ó AP m & ? g ó < š m ä p & m f 5 ° ´ p & E ³ Û Ð 75mm~120mm d _ É p x ´ *
 ; o • 304 â 1 p x ´ ´ p & â } @ ³ • È ` i s ù ½ ë) + ø p x) û m ´ p x £ â ì
 2.5mm î • ¶ ÿ ÿ “ • • 5 ë ä ÿ æ ¹ f

8 Ì G


š K < ¯ m ´ î ä ý ´ ´ • × É î ä ý d Ê

M8 ,60

a

8mm

4 M8x60




b

M8x40

B

AP



9 ä / ¯ • (¯ • Ž T + / â §] • ¯ V2.00 X d Ì)

a ½ ë x ' ' •

1	2.7 ± 0.2mm	LC-LC							
2			A	B	C	D		B	C
3									A
4		B	C		A				
5		D							

6

D B C A

AP

a LC-LC >~«~ E } 2.7•0.2mm³ • ° 1c ... ~ •â l ½ ýŸd

a U c á>~«~ â§lí \ ´"E*>~«~ â "d

10 ä/XP⁻Ô§

PG

PG

a m••" •Ü ~ 6È & AP •• POE Ç Â%½ PG È d

a òl ~ 6Èpò & AP •• âpò}Â½ PG È " VE* 6Èd ~" j • ½ PG È
| ä AP ••-U 6Èd

11 ä//©Ž


a ël ••0b(j ~k d

RG-AP630(CD) •"½" ¢NÆã•â | ¦½"v Û®j U ~ d"´ ' W:½" % ¶
»'ûðs½"vd



OT

12 GT ð 6 cT ò d

 $\frac{1}{2}$ M ' ' •


13 ... 8) > C | ¥ ¢ " o \$ c10 u d

	x	o	o	o	o	o
	x	o	o	o	o	o
	x	o	o	o	o	o
	x	o	o	o	o	o
	o	o	o	o	o	o
	o	o	o	o	o	o
o SJ/T 11363-2006 x SJ/T 11363-2006 “ ” 						