

RG-AP220-SH

V1.20

<http://www.ruijie.com.cn/>

<http://webchat.ruijie.com.cn>

8:30 6

<http://www.ruijie.com.cn/service.aspx>

7 24

4008-111-000

<http://support.ruijie.com.cn>

service@ruijie.com.cn

WEB	WEB

“ ”

“ ”

“ ”

“ ”

” ”

“ ”

A“ ”

B“ ”

		AC 90-264V/50-60Hz			
		DC 48V/0.4Amax			
	PoE	802.3af	PoE		
		9.5W			
		802.11b	802.11g	802.11n	2.4000GHz-2.4835GHz
		500mW	500mW		

2

2.1

AP

~ AP

2.2 AP

AP

2-2

- 1)45mm120 275mm
- 2)
- 3)

2-3

- 4)APAP8mm2-3
- 5)AP
-
-
-

RG-AP220-SH
AP

AP SMA 3 AP

2-4

2.3

1	4.10/100/1000Base-T
2.Console	5.
3. LED	6.

AP

2-6

AP

1.Radio1 LED	3.Radio2 LED
2.Status LED	

--	--	--	--

1/2*	Radio1/2*		
			2.4G
			2.4G
			5G
			5G
*	Power*		
LED	C		Link
			1000M Link Up
			1000M
			100/10M Link Up
			100/10M

" 2 " RG-AP220-E V1.x RG-AP220-E V2.x

" " RG-AP220-SH V1.X RG-AP220-SH V2.X

2.4

PoE 802.11af

AP

- 1)
- 2) AP
- 3) AP
- 4) AP

Status

Status 1 Status Status

Radio

Status	Radio		AP	AC
CAPWAP		AC		
	RG-AP220-E V2.0	RG-AP220-SH V1.X	RG-AP220-SH V2.X	