

WEB

RG0DDI

DDI\_RGOS11.1(3)B2

V413

copyright © 2016



- 
- 
- 



<http://www.ruijie.com.cn/>



<http://webchat.ruijie.com.cn>



<http://www.ruijie.com.cn/service.aspx>



7×24

4008-111-000



<http://bbs.ruijie.com.cn/portal.php>



<http://www.ruijie.com.cn/service/know.aspx>



# 1 Web

## 1.1

Web

chrome

WEB

Web

DDI

DDI

## 1.2



### 1.3.2.1

†

„ † „ † „



Web

### 1.3.2.2

Web

„ DDI


†

DDI

„

†

„ †





### 1.3.2.3

DDI

### 1.3.2.4

## 1.3.3

### 1.3.3.1



IP                      ip                      ip                      ip

MAC

IP                      IP                      IP                      IP                      IP

IP

The screenshot shows a web form for adding a secondary IP address. At the top, there are two input fields: the first is empty and marked with a red asterisk, and the second contains the value '55.255.255.0' and is also marked with a red asterisk. Below these fields is a green button labeled '添加次IP'. To the right of the input fields, there are labels 'IP 地址:' and '子网掩码:' followed by input fields. Below the form, there is a table with columns 'IP地址', '子网掩码', and '操作'. The table is currently empty, with the text '无记录信息' (No record information) displayed in the center. At the bottom of the page, there are navigation links: '上一页', '末页', '确定', '1', '首页', and '下一页'.

### 1.3.3.2

The screenshot shows a web interface with a table of IP addresses. The table has columns for 'IP地址' (IP Address), '子网掩码' (Subnet Mask), and '操作' (Operation). The table contains one row with the IP address '192.168.1.1' and subnet mask '255.255.255.0'. The '操作' column has buttons for '编辑' (Edit) and '删除' (Delete). Below the table, there is a pagination bar showing '10' items out of '1' total items. The pagination bar includes links for '首页' (Home), '上一页' (Previous Page), '1', '下一页' (Next Page), and '末页' (End Page), along with a '确定' (Confirm) button.

IP

添加内网多链路聚合

✕

选择聚合口：Ag1

聚合接口：☐Gi0/0 ☐Gi0/1 ☐Gi0/2 ☐Gi0/3 ☐Gi0/4 ☐Gi0/5

IP地址：

掩码：


开启NAT配置：☒勾选开启线路NAT功能

确定

取消

### 1.3.4 IP

DDI



#### 1.3.4.1.1 ipam NI

#### 1.3.4.1.2 A: $\mu$ C

- 1.
- 2.



### 1.3.4.2 Ipam

#### 1.3.4.2.1 Ipam 0



1.  ip ip ip
2.  ip
3.  ip ipam
4.  ip

IP: 1.1.1.204

科室:  剩余租期: 0天0小时0分

房间号:  地址类型: IP+MAC


接入设备: 0000.0000.0000 地址状态: 离线

VLAN: 0 地址描述: -

端口索引: 0

端口描述:

#### 1.3.4.2.2 Ipam><




1.



2.



3.



IP

分配IP

绑定类型 单MAC

\* MAC MAC必填, af09.af09.af09

资产编号 资产编号

资产设备名 资产设备名

科室 科室

房间号 房间号

使用者 使用者

联系电话 联系电话

备注 备注

确定 重置



IP

4.

5.

选择绑定类型

绑定类型

绑定

6.



7.


8.

9.



10.


11.




### 1.3.4.3

#### 1.3.4.3.1 "45ë

| + 新增地址池                 |      |                     |    |
|-------------------------|------|---------------------|----|
| 地址池                     | 发生时间 | 结束时间                |    |
| 查看已解决的告警                |      |                     |    |
| 16/06/1                 | xxxx | 2016/06/14 10:29:52 | 20 |
| 显示第 1 到第 1 条记录，总共 1 条记录 |      |                     |    |

1.  DHCP DHCP
2. 

### 1.3.4.3.2 "4E•/i



1.


2.

3.



清除所有

圖書在版編目(CIP)數據




2.

IP

ip

ip

IP



3.

### 1.3.4.3.5 批量绑定

|                |                |        |        |        |        |          |    |    |
|----------------|----------------|--------|--------|--------|--------|----------|----|----|
| ✓ 批量绑定         |                | ✓ 全部绑定 | ✓ 批量删除 | ⊗ 全部删除 | 网关ip管理 | 手动扫描: 全部 | 搜索 | 刷新 |
| 0c11.0503.202e | 172.18.123.152 | 新上线用户  | 未绑定    | 绑定     | 删除     |          |    |    |
| 00c0.4c67.7bc8 | 172.18.123.148 | 新上线用户  | 未绑定    | 绑定     | 删除     |          |    |    |
| 0c11.0502.b7e8 | 172.18.123.51  | 新上线用户  | 未绑定    | 绑定     | 删除     |          |    |    |
| 0011.0004.2046 | 172.18.123.151 | 新上线用户  | 未绑定    | 绑定     | 删除     |          |    |    |
| 0011.0004.2046 | 172.18.123.152 | 新上线用户  | 未绑定    | 绑定     | 删除     |          |    |    |
| 0011.0004.2046 | 172.18.123.153 | 新上线用户  | 未绑定    | 绑定     | 删除     |          |    |    |
| 0011.0004.2046 | 172.18.123.154 | 新上线用户  | 未绑定    | 绑定     | 删除     |          |    |    |
| 0011.0004.2046 | 172.18.123.155 | 新上线用户  | 未绑定    | 绑定     | 删除     |          |    |    |
| 0011.0004.2046 | 172.18.123.156 | 新上线用户  | 未绑定    | 绑定     | 删除     |          |    |    |
| 0011.0004.2046 | 172.18.123.157 | 新上线用户  | 未绑定    | 绑定     | 删除     |          |    |    |
| 0011.0004.2046 | 172.18.123.158 | 新上线用户  | 未绑定    | 绑定     | 删除     |          |    |    |
| 0011.0004.2046 | 172.18.123.159 | 新上线用户  | 未绑定    | 绑定     | 删除     |          |    |    |
| 0011.0004.2046 | 172.18.123.160 | 新上线用户  | 未绑定    | 绑定     | 删除     |          |    |    |

1.

选择绑定类型

单MAC

绑定

2.

ipam

3.


IP



1) 

2)

3) 


4) 

ip

4.

### 1.3.5 DHCP

#### 1.3.5.1 DHCP



1.

2.



1)




2)



option 43/138

!£NM ÔîÃ ? m þ R SWLRQ µ C

3.



1)



2)



4.

ipam

5.

6.

### 1.3.5.2 P




1.




2.

### 1.3.5.3



1.



A screenshot of a web form interface. At the top is a blue header bar. Below it, on the left, is a vertical sidebar with a red and white striped bar. The main content area contains two input fields: the first is labeled '管理IP' (Management IP) and the second is labeled '版本号' (Version Number) with the value '1' entered. At the bottom of the form is a green button with a checkmark icon and the text '确认提交' (Confirm Submission).

2.


3.

### 1.3.5.5 VRRP

| VRRP优先级 | 操作                                    | VRRP组号 | 接口      | VRRP组IP |
|---------|---------------------------------------|--------|---------|---------|
| 100     | <a href="#">编辑</a> <a href="#">删除</a> | 2      | Gi0/0/1 | 1.2.3.5 |

显示第 1 到第 1 条记录，共计 1 条记录

1.



2.

vrrp

### 1.3.5.6 DHCP

| 接入设备                                       | 端口索引                                  | 端口描述      | VLAN | 租期                                                 | 限制个数                                         | 操作                                                                                |
|--------------------------------------------|---------------------------------------|-----------|------|----------------------------------------------------|----------------------------------------------|-----------------------------------------------------------------------------------|
| 1.1.1.110                                  | -                                     | -         | -    | 0小时30分钟0秒 - <input checked="" type="checkbox"/> 开启 | 100 - <input checked="" type="checkbox"/> 开启 | <a href="#">编辑</a> <a href="#">删除</a> <a href="#">添加端口</a> <a href="#">添加VLAN</a> |
| 5 - <input checked="" type="checkbox"/> 开启 | <a href="#">编辑</a> <a href="#">删除</a> | 1.1.1.110 | 2    | -                                                  | -                                            | 0小时30分钟0秒 - <input checked="" type="checkbox"/> 开启                                |
| 5 - <input checked="" type="checkbox"/> 开启 | <a href="#">编辑</a> <a href="#">删除</a> | 1.1.1.110 | 3    | -                                                  | -                                            | 0小时30分钟0秒 - <input checked="" type="checkbox"/> 开启                                |
| 5 - <input checked="" type="checkbox"/> 开启 | <a href="#">编辑</a> <a href="#">删除</a> | 1.1.1.110 | -    | -                                                  | 4                                            | 0小时30分钟0秒 - <input checked="" type="checkbox"/> 开启                                |
| 5 - <input checked="" type="checkbox"/> 开启 | <a href="#">编辑</a> <a href="#">删除</a> | 1.1.1.110 | -    | -                                                  | 6                                            | 0小时30分钟0秒 - <input checked="" type="checkbox"/> 开启                                |

显示第 1 到第 7 条记录，总共 7 条记录

1.

添加安全配置

设备地址

限制个数 [1-2000] 默认值设备100, 设备端口5

开启

确认提交

+ +vlan

2. vlan

+ 添加 + 保存

| 操作 | 端口   | 租期   | 开启租期限制 | 限制个数 | 开启个数限制 |
|----|------|------|--------|------|--------|
| ✕  | 点击输入 | 点击输入 | 开启     | 点击输入 | 开启     |


显示第 1 到第 1 条记录, 总共 1 条记录

1)

2)

3.

### 1.3.5.7 DHCP




1.

2.

3.

### 1.3.6

#### 1.3.6.1



# 1. ARP

ARP

ARP

ARP

ARP

ARP

10

ARP

ARP

(IP, MAC)

PC

ARP

ARP

ARP

ARP

ARP

ARP

web


web

web


IP

Ip

### 1.3.6.2 ARP



1. IP/MAC IP/MAC



IP      MAC


ARP  
ARP

ARP

### 1.3.6.3

#### 1.3.6.3.1 ACL“KÂ ë><

ACL



1. ACL


ACL

ACL

ACL

ACL

ACL



2. ACL


ACL

ACL

ACL

IP

ACL



AC

---

移动

ACL


编辑

ACL

X 删除选中

ACL

### 1.3.6.3.2 y ·A"KÂ {



制 一 添加接口访问控制

ACL

in or out

完成配置

ACL

ACL



### 1.3.7


#### 1.3.7.1

##### 1.3.7.1.1 $\hat{\imath}$ A'5B



web

##### 1.3.7.1.2 $\hat{\mathbf{A}}$ š-Œ




|     |       |       |
|-----|-------|-------|
| Web | WEB   | admin |
|     | admin |       |

|        |        |
|--------|--------|
| Telnet | Telnet |
|--------|--------|




### 1.3.7.1.3 G<sub>i</sub> A' Ũ



”                      †                      1


### 1.3.7.1.4 6 á Î VA'5B



”                      †

”                      †

### 1.3.7.1.5 G!5B Ô Ñ



"

†



### 1.3.7.1.6 243 ÈKÈ



Internet    †    DNS    "    DNS    †    DNS

### 1.3.7.1.7 SNMP

**SNMP配置**

SNMP 1.0 个    2.0 个    3.0 个

设备标识:

Trap 口令:

SNMP 目的主机:

Trap 接收主机:

最多可有 8 个 Trap 接收主机, 如未设置, 则默认使用

SNMP

SNMP

1. SMNP V2 V3 V2
2. SMNP
3. SNMP
4. Trap
5. Trap 10  
V3

### SNMP配置

SNMP版本：☐ V2版本 ☒ V3版本

SNMP用户：

加密密码：

认证密码：

Trap口令：

SNMP目的主机：





Trap接收主机：

保存设置 清除设置

V3

SMNP






tech\_vsd0\_20150727172504.tar.gz

#### 1.3.7.4

ping

tracert



## Ping




” IP †

```
Translating "www.baidu.com"...[OK]
Sending 5, 100-byte ICMP Echoes to 14.215.177.37, timeout is 2 seconds:
< press Ctrl+C to break >
!!!!
Success rate is 100 percent (5/5), round-trip min/avg/max = 33/34/35 ms.
```


## tracert



„ IP † tracert



## 1.3.7.5




## 1.3.7.6

## 1.3.7.6.1 .@,¬ S\*ü¹«

| 硬盘使用日志              |        |      |      |     |    |
|---------------------|--------|------|------|-----|----|
| 时间                  | 开始扇区   | 结束扇区 | 数据量  | 校验和 | 备注 |
| 2016-06-24 04:52:39 | 473311 | 3480 | 4192 | 308 |    |
| 2016-06-24 03:18:33 | 473347 | 3444 | 4132 | 368 |    |
| 2016-06-24 03:49:59 | 473347 | 3444 | 4104 | 396 |    |
| 2016-06-24 03:52:39 | 473347 | 3444 | 4104 | 396 |    |

### 1.3.7.6.2 CPU S\*ü)[ y><



CPU

### 1.3.7.6.3 Y , S\*ü)[ y><

