

RG-ONC-AIO-L SDN&NFV

copyright © 2021



<http://www.ruijie.com.cn/>

<http://webchat.ruijie.com.cn>

<http://www.ruijie.com.cn/service.aspx>

7 24

4008-111-000

<http://bbs.ruijie.com.cn/portal.php>

h

EMI	GB9254-1998
	GB4943-2011
	12kg
	440 * 375 * 44 W * D * H mm 1U

RG-ONC-AIO-L A

RG-

1

RG-ONC-AIO-L

1-3

1-3 RG-ONC-AIO-L

1

RG-ONC-AIO-L

10\100\1000Base-T

6 1000Base-T

100Base-T

10Base-T

1-4

	Alarm		

RG-ONC-AIO-L	2	250W	1+1
--------------	---	------	-----

2.1.4

RG-ONC-AIO-L

RG-ONC-AIO-L

2.2

RG-ONC-AIO-L

2.2.1

RG-ONC-AIO-L

2.2.2

RG-ONC-AIO-L

2-1

2-1RG-ONC-AIO-L

0°C-45°C	10%-90%

1.5m ,

0.4m

2.2.3

2-2

2.2.7 EMI

RG-ONC-AIO-L

2.2.8

RG-ONC-AIO-L

RG-ONC-AIO-L

2.3

RG-ONC-AIO-L

RG-ONC-AIO-L

RG-ONC-AIO-L

2.4


RG-ONC-AIO-L

2.5

2.6



1



3.6

1)

2)

3

3.7

RG-ONC-AIO-L

4

4.1

RG-ONC-AIO-L

Console

PC

4-1



4.2

Power

4.3

<https://192.168.1.2:8089/onc/login.html>


admin/rgsdn

4-2

5


6

6.1



6.2

	RG-ONC-AIO-L	Power
RJ45	100	




A-4

A-4


B

RG-ONC-AIO-L 19



A-1

A-1



30mm

A-2

A-2


A-3

A-3

p/Ě

A-4

A-4




A-1

A-1

mm	mm
10	80~150
10~30	150~200
30	200~300

C

B-1



PE

PE

PE

