


RG-RCD6000/4500/3000 V2


| | | | | | |
|------------|-------------------|--------------|-----------|--------------|-------|
| | Intel Grantley-EP | | Wellsburg | | |
| E5-26** V3 | | 20 | DIMM DDR4 | 2133MHz | ECC |
| Registered | | | 2.5x8 | SAS/SATA/SSD | |
| 3.5x8 | SAS/ SATA/SSD | | | | |
| | BMC/KVM | | | | |
| SAS 3.0 | 12Gb/s | SAS | SAS RAID | SAS/SAS RAID | |
| | PCI | | | | PMbus |
| | DPNM | | | | |
| 8 | 3.5/2.5 | SAS/SATA/SSD | | | |



| | | | | | | |
|-----|------|--------------------------|------------|------------|---------|------------|
| | 2 | Intel Xeon E5-26XX V3 | E5-2650 V3 | RCD6000 V2 | E5-2640 | |
| | | V3 RCD4500 V2 | E5-2620 V3 | RCD3000 V2 | |) |
| | | Socket-R3 | | | | |
| | | PCH Intel C612 Wellsburg | | | | |
| | | DDR4 ECC RDIMM/LRDIMM | | | | |
| | 96GB | RCD6000 V2 | 80GB | RCD4500 V2 | 64GB | RCD3000 V2 |
| | | | | | |) |
| | 20 | 640GB | 32GB | | | |
| | | | I/O | | | |
| USB | 2 | USB 3.0 | 1 | USB 3.0 | 2 | USB 3.0 |

| | | | | |
|--|-----------------|-----|-----|-------|
| | | | |) |
| | | | | |
| | 800W | | 1+1 | PMBus |
| | Node Manager3.0 | | | |
| | | | | |
| | 651 | × | 307 | × |
| | | | 971 | mm |
| | 447 | × | 87 | × |
| | | | 750 | mm |
| | 30kg (8 | | | + + + |
| | | | | |
| | 0 | -45 | | |
| | -40 | -70 | | |
| | 10 | -90 | | |
| | 5 | -95 | 40 | |


3.5x8




| | |
|---|---------|
| 1 | VGA |
| 2 | USB 3.0 |
| 3 | |
| 4 | |
| 5 | () |
| 6 | |
| 7 | ID |
| 8 | |
| 9 | LCD |

3.5x 8






| | |
|----|-----|
| | |
| 1 | |
| 2 | ID |
| 3 | |
| 4 | LCD |
| 5 | |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| 10 | |



| | | |
|---|--|--|
| | | |
| 1 | | |

| | |
|----|------|
| 8 | IPMI |
| 9 | USB |
| 10 | ID |
| 11 | VGA |
| 12 | PCIE |



| | |
|----|--------------|
| | |
| 1 | (CPU0) |
| 2 | CPU0 |
| 3 | |
| 4 | SATA |
| 5 | SSATA |
| 6 | USB |
| 7 | USB |
| 8 | CMOS |
| 9 | TCM |
| 10 | VGA |
| 11 | PCIE (CPU0) |
| 12 | PCIE (CPU1) |
| 13 | CPU1 |
| 14 | VGA |
| 15 | ID |
| 16 | |

CMOS

CMOS

CMOS

| | | | | |
|----------|------|-----|-----|------|
| | | | | |
| CLR_CMOS | CMOS | 1-2 | 2-3 | CMOS |

CMOS

Pin2-3

5

CLR_CMOS

Pin1 Pin2



■

web

■

■

CMOS

■

■

■

■

■

■

■

■

■

■

■

USB

USB

1.

KVM

1)

2)

3)

4)

2.

1)

2)

3)

3.

1)

VGA

2)

3)


4.

5.

1)

3)


4) G&! USB



2)

1


2




3)

1


2



4) 2 3



5) 5°



6)

1

2



7)

