

-9/05»

4A7

it y

UV_XOMNZ iHÀ

• ´ Ñ f

copyright © 2022 K@55

+%>,07sX

ç@55,MAËP2Y,G6pGF>PÃ
iPÑ+B@B@0A6C,GpC

Ø W

OBR Ø ¯+XK@ \$5•5 ñ È\ {¼ j Ø È ¶B 4ó,´ .œ &¹>õ 7 ‡ Ä

ð

\{¼ k?± û4ý ¶ × ñ X Ĩ7- :¼(™*6 :,´ 0 È(© W È È ¶¹>õ!•PÔ Ã uLì ÂL” Ä° _?ô I È ú+e56 ¼F Ö ~,´?ô I ¼
¯+X ö I ÄF2+X ¾ #) :F µ éF >| ¶@ D X ¹>õ ¼5\$ Ô5•5 .œ & éM’ § 9 0 Ê4ÿP¼,´+X g Ä< & w ÊB !n × ñ ,´+X g'İ.
-(£ _B ¼² % Ä

Œ

„ K@5561Ö <http://www.ruijie.com.cn/>
„ K@557-Ö <http://ocs.ruijie.com.cn>
„ K@5561Ñ_1(xÖ <http://www.ruijie.com.cn/fw/>
„ 7×24 &_ÑÖ 4008-111-000
„ K@5561Ö@510
„ hÑE3RÖ <http://www.ruijie.com.cn/fw/wt/>
„ K@55° __1>Ö1Ö 4008111000@ruijie.com.cn

gá

l – G÷+X 4/ýGÂ- 7 •>~lj X ý ÇE÷0;] ÄB (© [# ? ,´ ` é ÈF È 7 ,´ ? y² ; Ö

a EAGEE,Ñ>

B*Dh00ÄFE>Ö{

; /Ö7Ö>Ö{

7 Reset „	: RJ45 b
8 7	; LAN/PoE 5•
9 L	< DC48V

1.3 RG-AP820-A Ce B ? y f

,V Q ? ; Ö

LNÄ	g	(æ
ü	Ze JEEÄ	&
3Hz	3+5ME0;	5/8t
ü	3+5ME0k0z	5/8p
3Hz	AP 3+5ME0ZG- Link down	48t
ü	3+5ME00ü	8p
3Hz	X,V Q0e,e	8t
ü	hE (hE+XgÖ	hp
3Hz	hE (hE+XgÖ	8t
2Hz	AP EX0E AP	48t
K^	.9%	A7Gý
	K9W%	A5ž

7 QØ

LNÄ	g	(æ
ü	Ze JEEÄ	&
3Hz	3+5ME0;	5/8t
ü	3+5ME0k0z	5/8p
3Hz	AP 3+5ME0Z ZG- Link down	48t
ü	hE+XgÖ	hp
3Hz	hE+XgÖ	8t
K^	.9%	A7Gý
	K9W%	A5ž

RG-AP820-A 3+G4004

Hz 10 3Hz 10 3W

Ø

RG-AP820-A ,+eS+X DC -F2GF65 PoE EÄ

a F8Gk,M6C,C.G.F8G2+mM6F8G,M6GG.L)GÇp

a ^ PoE k,M6361%? 802.3af k73Ñ

bCâ

RG-AP820-A G+X NpAAÑ

t5,0° L*0° J,WFP>

G ø é Ô Ô

2.1 μ Ž`

RG-AP820-A 4ÜB1bdAä

A, 0A#v%730)ab

2.2 G μ

„ Q3H0D5E(6E+e.M/ME1A+e Ae1AecM7W Fjś
,)E4 AP A7, 47 98Fg,)B

„ >B(FAAD/EF,6Ä7D/ED/EN¼ 500mEÄ7E
 8lp ;ÄÄ

U/XC0d9d9%9Mb1yE>A7>XF>PAA#J558FJA7°,
E,863DIBCXM77eU1y3PE91V8FJA70)BA#PÄ

a B-2 B* D c F & E F > A & D

2.3 ? 6 μ

„XA7>54 ,ÄN4Q+07Ä

0+0FBp9+e19+e1e56Ä

2.4 $\hat{\theta} \sim \mu$

„ F>|eDjE,X,03Ä(118-(ÄEtIÄ

„B47EVX%0E,LEP V%\$yÄ

„X>FpXßWU+e05FOPB7Ye0Ä

MOE+e⁻ → MOE⁻

BA7nX%BA7A

AP 02+eÄ7,554bM558+X7--(DFÄ

„ F/44 M E4 QNÁ+e47Ejy)4A7Ä

a C09E!+k1%73KC&+k11EL(16VFH8*3;2

a ~~.*ÛFPEY%P6%QÁ+k%738*EY~~

G^a © é L -

51X⊕XjÄA7h⊕X/Èp5l%C6PÄ

GL -

„ mGŸŸŸ,ŸŸ1L,ŸŸ'ÄŸFJNŸŸ+5Ä

RG-AP820-A 5d8G6Ä

RG-AP820-A > 5E0
*14B/A 2m : 5E0

 $\dot{u} \cdot L =$

RG-AP820-A, j8fEA7>ÄN'+%2%0DL\$

t ... x y ... L -

j Añ RG-AP820-A nE/005\$000041W80
r,)EJ)A7FP@Ä

4300E)EFP@55H65H8J8%?e0C+OjM7-FñZK8<1y
)BÄ

4340 ÷ 5 = 868

40E,)EVEA7,M\WWW,L}ÈOQBJ)EO61FE0Ä

RG-AP820-A A7))

	
-10°C-50°C	5%-95%

M Ó ... L -

& H)Aî7F>|_0Wj;ãÄÔµ&H:mXj f:È FP @M%+e hLtÈ¬H Ž Œ&ě Œ@ =8ŸÈT!_X Ô µ-(\$¬Ö•~
;đ å;È\$CFP @F lým%+e hLtÈ = v Jj;ýAî7/-È6<D éCFP @FJ ulìÄ)j o µ& H[GŸ ú2Â'±r²;~Ä

0W-\$ (- m)	0.5	1	3	5
0W/1000 /0.01	1.4×10^7	7×10^5	2.4×10^5	1.3×10^5

LFÄ7p4,í0)0Dp[-GÄ(9U1,´

ÄÄÜDOHŽ€&1

FE0j0Äb9DWF.ÄFRW/FÄD1yA0Ä

Df	$\frac{1}{Df}$ mg/m ³ Å	$0W$ mg/m ³ Å
c	0.2	1.5

.FR H ₂ S	0.006	0.03
WF^ NO ₂	0.04	0.15
%D NH ₃	0.05	0.15
"D Cl ₂	0.01	0.3

2.5.5 EMI L -


”

3 C | é G

RG-AP820-A 3+G AP 121 EXÄ

B-.A54üB11bÄ,11bÄvF&(5f%Cé

3.1 G W 8



3.2 G ø é \

RG-AP820-A >A7,>5A6&eC4lyF>A&B:A&

„ >0&0L\$%Cä 1Ä

„ >0%CA7)0Ä

„ >0%CA7)+e&eÄ

„ F9+X,†e&Cä+5);0Ä

„ >0%Cä A7)55G4;1Ä

„ >0%CA7)>59p,1Ä

„)0ÉXg,C&7&>B:A&7_V1V8C1Ä


3.3 G • é µ l ç 6 •

j Añ 4i AP h&F/X/BF&A©Ö

„ A7>0A7EeÄ


„ B6A7n5&JNpÄ

„ BF&A7n5&2Ä




2) 6kj6ü,2)0æ

. 3-5 6 AP)0æ



a 08ß--çü4ü



820M67 Ruijie logo S@>


a 2015/8/11 16:51 B-5 88


a 2015/8/11 16:51 B-5 88

3.5 2 ý 2

1. 2015/8/11 16:51 B-5 88

3-7 6 AP 6





3.6 安装

安装步骤

B'+X ü5 4IF Ö` AP, LAN/PoE 6		AP_1,54FW...	AÄ		
a	q console ÜAÜz	9600= p	8W/PÄ	1W/Hp	>0 M6/ AP F
>5p>					

3.7 配置

配置步骤

- „ v~+e37e5656%
- „ v~ü 5454,54481_FW):_1aÄ
- „ v~545~_ZW545656+X/PÄ7-Ä

配置参数

- 1) 654i56C56P8k LAN/PoE 1Ä
- 2) 654i5654i-GÄ
- 3) 54v~ÄWCdkjÄGyC-Ä

3.8 G d é ó Ó

² ó Ó

- „ .AĖĖe_V>jG}e-iGĲ
- „ A7>5Ĳ_L_V7-Ė
- „ .AĖĖ+O0+ĖBĲ
- „ .AĖ7XjĲĖ9456*Ėj:Ĳ

Ė Ó

- „ .AĖ4>ĖGĲ
- „ .AĖ56v~Ė

Ė

- „ .AĖĖĖ8ĖV8Ĳ
- „ Ė+eĲkjĖĖĲ AP ĲĖ

4 x ž • p

4.1 @ Ž ´ ° Ê

FJE÷F2G} ~ F65PoE ĚeĚ AP :+eÄ

@Ě

„ FJEF2GF65 PoE ĚeĚ AP F>ĚeFĚ0.ÄÖeĚ8ĚV8ĚÄ

„ FJE546+eÄÖ AP > AC -(FÄ

„ FJE÷ PC > AP bÄB3BĚ0# PC ¼ PoE ĚM08X

98* 9 Tf 1 0 0 1 293.81 54EMC /P <</MCID 34>> BDC BT /F1 9 Tf 1 0 0 1 248.45 5

5 ñ 0 ¢ ñ

5.1 ñ 0 ×

Ce

X RG-AP820

3) 0+01B301> AP ,D/Ä

CeGNE

⌘ A ä / — x ä / O ” y f


1000BASE-T/100BASE-TX/10BASE-T O L

1000BASE-T/100BASE-TX/10BASE-T __19/7O)8F2Ä È _1XF9/7O);8Ø MDI/MDIX Crossover
,ŕ-Ä

1000BASE-T 1V8 IEEE 802.3ab 7ëÄ56M01X 100-ohm 5 2FCµ 5 2Mñ54i UTP Fm54i STPÈ
DOK_1 100 2FÖ/Ä

1000BASE-T 1+X 4)4F>PEñ00p9,´ 4)4FÖ 1000BASE-T 1p+X;54iFÖ
.p/jÖ

. A-1 1000BASE-4





G é a Ž 1

f RG-AP820-A >6C56FJEC4w-j,5480,ÎuâC4FC4Ä
 Q560B*6nXj,6A-nXjFGC>Q56F4pLuâ
 76j-eQbM1ay,5AF:C4FC4Ä

p9Eœ



„ +e56J+e562Äe5623n*EzÄe56F'
 +e56Äe56F' 7 Ä

5 ð)4j_2«

„ EJE*+e5623n*EzÄe56F'
 Ä

7 ð)4j_2*+e56Äe56F'

10

„ QFO+e56Ä SFP++e561yÄÄe56F'
 Ä

5 ð)4j_2*+e56Äe56F'

10



„ Xv~456M071PCEdX456,F25Ä

„ +e56Xjy~>Ä-u65P5Ä1y)BÄ

² D-1 p/jÄ

. D-1 +e56v~/jÄ

„ 2+e56Äe561yÄjB0C4B-EX0Cj/EFB÷
 Q4ÄC4EeE56>4jLDÄ

30mmÄ

„ jF,5464i-y%E,@Ä

„ +e560C;HÄy%,ÄF6B6

,>ME>055H>Ä

„ 5~+e56Ä9F2B4EXTiFTi:,4FÖ+X34Ä

„ +X45+e565->Äj%G6BÄu65F7JÄ

D-2 p/jÄ

6e56834A

D-3 p/jÄ


 $\text{D}\ddot{\text{A}}$ 

537 XB

220V + e_s ≈ 0

УНДГАХЕ ШЕГ

5&0%+e56#



“ ” iU
“ ” •

„)Ezce10 LtF)+e56F>†EoK10e56:x+OÄ

„ B7+X8k08W*01Ä

„ 020AC4†+e56Ä~@+e56Ee56†+e5601Ä

„ 4†5~0†F>Ä

+e56•\$ (mm)	5~L\$ (mm)
10	80~150
10~30	150~200
30	200~300

„ +.e56C4F65v~5Ä

„)Ezce10 LtF)+e56F>†EoK10e56:x+OÄ

Д — P á y f

DC48V 0.3A
DC F2G

т\$	F-\$	\$	W
2.1mm	5.5mm	10mm	CO

