

BDS-C

CPU

" "

3

知识库

安全监控

许可证

客户名: test

有效期: 2017-01-31

报表管理

★ 审计管理

系统管理

设备型号: RG-BDS-1000F-C

许可证更新

许可证升级列表

序号	许可证升级时间	描述
1	2016-12-30 02:44:33	此许可证有效期至2017-01-31, 服务有效期至2017-01-31, 含有30个设备数。
2	2016-12-20 13:03:07	此许可证有效期至2016-12-29, 服务有效期至2016-12-20, 含有30个设备数。

升级管理

许可证管理

用户管理

系统参数

内置对象

事件分析

RuMe

- 1
- 2
- 3 CPU

80%

80% bds

80%



CPU

80%

EPS

EPS

CPU





1 WEB BDS IP

https://192.168.0.100:8082

admin

ruijie123

2 " ">" "

3

- 账号口令管理
- 网络管理
- 系统工具
- 日期时间管理
- 数据备份
- 数据删除
- 系统恢复**
- 重置平台初始口令
- 系统停止和重启
- 系统信息

系统恢复

! 系统恢复至出厂设置，相应的生产数据将被清除，如硬件配置有变化，原license将不可用，请重新申请license!

系统恢复

license


1

2


3

4

MD5








Unknown

1

Unknown



common_coll

The screenshot displays a security management interface. At the top, a table lists events with columns for '序号' (Serial Number), '名称' (Name), '类型' (Type), '子类' (Sub-type), '严重级别' (Severity Level), '设备IP' (Device IP), and '时间' (Time). The first row is highlighted, and a red box around the '名称' column contains the text 'Unknown'. A red arrow points to this box with the label '点击查看详细信息' (Click to view details). Below the table, a pink box shows the details for a collector named 'comm_coll'. A red box around the '采集器名称' (Collector Name) field contains the text 'comm_coll', with a red arrow pointing to it and the label '显示为comm_coll,说明没有正确匹配采集器' (Displayed as comm_coll, indicating that the collector was not correctly matched). The '采集器地址' (Collector Address) is shown as '192.168.100.134' and '采集器网络' (Collector Network) as '缺省网络' (Default Network).

序号	名称	类型	子类	严重级别	设备IP	时间
1	Unknown	其它	其它	信息	192.168.100.135	2016-12-15 20:18:00
2	Unknown	其它	其它	信息	192.168.100.135	2016-12-15 20:18:00
3	Unknown	其它	其它	信息	192.168.100.135	2016-12-15 20:18:00
4	Unknown	其它	其它	信息	192.168.100.135	2016-12-15 20:18:00
5	Unknown	其它	其它	信息	192.168.100.135	2016-12-15 20:18:00
6	Unknown	其它	其它	信息	192.168.100.135	2016-12-15 20:17:12
7	Unknown	其它	其它	信息	192.168.100.135	2016-12-15 20:17:12

采集器

采集器名称: comm_coll 采集器地址: 192.168.100.134

采集器网络: 缺省网络

资产管理

首页 / 资产管理 / 资产管理

知识库

安全监控

资产管理

资产列表

需将目标设备在此处进行新增资产的配

新增

删除

导出

打印

刷新

重置

帮助

序号	资产名称	资产IP	系统类型
1	180.153.225.136	180.153.225.136	CentOS
2	202.108.22.6	202.108.22.6	CentOS
3	61.152.169.219	61.152.169.219	CentOS
4	212.0.0.1	212.0.0.1	CentOS

资产管理

事件分析

资产管理

资产管理

网络管理

资产发现

Windows 2008

采集管理

7


win2008

5.5.5.5

Win







www.ruijie.com.cn

www.ruijie.com.cn/service.aspx

bbs.ruijie.com.cn

webchat.ruijie.com.cn

4008-111-000