





目录 Contents


1





2

3










—	AP	/	
3Hz	AP	uboot	
—	AP		
3Hz	AP	Link down	
—	AP	CAPWAP	
3Hz	AP		
—	AP	CAPWAP	
3Hz	AP	CAPWAP	
3Hz 2 2	AP		



目录 Contents

1



2

3

	11axsupport enable			
	no 11axsupport enable			
	no	11ax		
	Radio	11ax	11ax	STA
	dot11radio			

	long-gi { 0.8 1.6 3.2 }			
	no long-gi			
	no	11AX	0.8us	
	0.8	OFDM		0.8us
	1.6	OFDM		1.6us
	3.2	OFDM		3.2us
			0.8us	
	dot11radio			

	ofdma enable
	no ofdma enable
	no ofdma
	dot11radio

目录 Contents

1

基础网络部署

2

常用功能配置

3

日常维护和问题排查

```

WS18000-1B11#show ac-config client | in mu
===== show sta status =====
AP      : ap name/radio id
Status: Speed/Power Save/Work Mode/Beaming State/MU/MTMO... E ← enable power save D ← disable power save
-----
TotalSta.Num: 39
STA MAC      IPV4 Address  AP-          wlan wlan Status  Asso-Auth  Net Auth  Up time
-----
F48b.32a3.04e3  temp/2        6  1731  9.0M/E/ac/R/mu MAB        WEB        0:20:37:33
WS18000-1B11#

```

第三频

mu终端



RG-AP820-L(V3)
POE DC

802.3af

RG-AP820-L(V3)

AP820-L(V3)

