





RG-WALL 1600-Z

RG-WALL 1600-Z



1.

2.

3.

4.

5.


6.

7.



/

SYS







CPU/

Web

CPU

CPU

CPU



80%

80%

*

4008111000

<http://webchat.ruijie.com.cn>





()



is (89.98%) exceeds alarm thresh

SYSLOG服务器

CDLL Alarm

2022 01 12, 10:12, 15 ...

the current CPU usage

the current CPU usage is (100.00%) exceeds alarm thres

CPI Alarm

2022-01-13 19:13:05

the current CPU usage is (100.00%) exceeds alarm thres

the current CPU usage is (100.00%) exceeds alarm thres

current CPU usage is (100.00%) exceeds alarm threshold 85%

● 提示

CPU Alarm

2022-01-13 19:12:55

the
hold

```
current.CPI.Usage is (91.98%) exceeds alarm thresh...
```

● 提示

CPU Alarm

2022-01-13 19:11:35

the current CPU usage is (100.00%) exceeds alarm threshold 85%

webui

ping https






Ping

IP

Ping

Tracert

IP



```

      TCP  UDP  ARP
IP      IP

```

MAC MAC

Reset Eweb





1.

2.

3.

4.

5.

6.




ping web

ping ssh , web

ping

ssh: ssh--> ssh ()









1.

2.

3.

4.

5.

6.

7.


Shell

CLI

SSH

Cli

shell

[illegible]

The image shows a very dark and blurry screenshot of what appears to be a terminal or command prompt window. The background is black. There are some faint, colorful artifacts at the top left, possibly from a logo or header, with colors like blue, green, and red. Some illegible white text is visible at the top, which might include a username or system information. The rest of the screen is mostly black with some scattered noise and very faint traces of text.

[illegible]

The image shows a dark, low-contrast screenshot of what appears to be a terminal or command prompt window. The background is black. At the top left, there's some faint, multi-colored text that looks like "ipset". To its right, the word "down" is visible in white. Further right, there are some very faint, illegible characters that might be part of a command or output. The rest of the screen is mostly black with some scattered noise and very faint traces of light, suggesting a video recording of a live session.

```
show interface statistics
/
show interface port state vrf main name Ge0/1
```

```
show interface statistics
/
show interface port state vrf main name Ge0/1
```

```
show interface statistics
/
show interface port state vrf main name Ge0/1
```

```
show interface statistics
/
show interface port state vrf main name Ge0/1
```



firewall> show npf flows stats

```
firewall> show npf flows stats
The capacity of the flow: 1000000
Allocated flows num: 7
Active flows num: 7
firewall>
```

:show npf flows [expect] [filter {[saddr sip] [sport port][daddr dip][dport port]}

expect –

ALG





1.

2.

3.

4.

5.

6.

7.



1.

2.

3.

4.

5.

6.

7.



1.

2.

3.

4.

5.


6.

7.

license

DNS







1.

2.

3.

4.

5.

6.

7.

THANKS

29

100036

Office Tel: 010-51715999

Fax: 010-51413399

4008-111-000

www.ruijie.com.cn



A 11

