



AP680-A

V1.03




www.ruijie.com.cn




RIITE

www.riite.com.cn



	RG-AP680-A		
(L× W× H)	251mm × 168mm × 64mm		
	2.4G	575Mbps	5G
	1200Mbps		
	802.11b/g/n/ac/ax: 2.4GHz-2.483GHz; 802.11a/n/ac/ax: 5.15GHz-5.85GHz		
	28dBm		
	1 10/100/1000Base-T		PoE
	1 SFP		
	1 48V DC		
	1 Console		
	1		
PoE	802.3af/802.3at		
	<12.95W		
	-40 ~+65		
	0%~100%		
	IP68		
	<1.5kg		
	GB4943 EN/IEC 60950-1		
EMC	GB9254 EN301 489		



I



II



304

*2



M5 M8



PG *2




M6







			()
SYS			AP
			capwap
(3)		1	-70dBm
		2	-70dBm -50dBm
		3	-50dBm









RUIHE

www.ruihe.com.cn

RIITE

www.riite.com.cn

RIITE

www.riite.com.cn



RUIHE

www.ruihe.com.cn



RIITE

www.riite.com.cn



TH/

BY

29

A 11

100036

Office Tel: 010-51718888 Mobile Tel: 13888888888 Fax: 010-51718888

www.ruijie.com.cn E-Mail: xxx@ruijie.com.cn