







- EG





- CPU/

- Web
-



- CPU

- CPU 80% CPU


-

- 80%

- * 4008111000

<http://webchat.ruijie.com.cn>

web



●


➤

➤

ip

telnet web

ping ssh telnet https





- Web




— —

— —



6



M5000-16GE

Ruijie#show disk usb
No disk found.
Ruijie#show sata
No disk found.

Σ

```

/dev/ramdisk0 / type ext4 (rw,relatime,data=ordered)
none /proc type proc (rw,relatime)
none /dev type devtmpfs (rw,relatime)
/dev/sda1 / type ext4 (rw,relatime,data=ordered)
/dev/sda2 / type ext4 (rw,relatime,data=ordered)
/dev/sda3 / type ext4 (rw,relatime,data=ordered)
/dev/sda4 / type ext4 (rw,relatime,data=ordered)
/dev/sda5 / type ext4 (rw,relatime,data=ordered)
/dev/sda6 / type ext4 (rw,relatime,data=ordered)
/dev/sda7 / type ext4 (rw,relatime,data=ordered)
/dev/sda8 / type ext4 (rw,relatime,data=ordered)
/dev/sda9 / type ext4 (rw,relatime,data=ordered)
/dev/sda10 / type ext4 (rw,relatime,data=ordered)
/dev/sda11 / type ext4 (rw,relatime,data=ordered)
/dev/sda12 / type ext4 (rw,relatime,data=ordered)
/dev/sda13 / type ext4 (rw,relatime,data=ordered)
/dev/sda14 / type ext4 (rw,relatime,data=ordered)
/dev/sda15 / type ext4 (rw,relatime,data=ordered)
/dev/sda16 / type ext4 (rw,relatime,data=ordered)
/dev/sda17 / type ext4 (rw,relatime,data=ordered)
/dev/sda18 / type ext4 (rw,relatime,data=ordered)
/dev/sda19 / type ext4 (rw,relatime,data=ordered)
/dev/sda20 / type ext4 (rw,relatime,data=ordered)
/dev/sda21 / type ext4 (rw,relatime,data=ordered)
/dev/sda22 / type ext4 (rw,relatime,data=ordered)
/dev/sda23 / type ext4 (rw,relatime,data=ordered)
/dev/sda24 / type ext4 (rw,relatime,data=ordered)
/dev/sda25 / type ext4 (rw,relatime,data=ordered)
/dev/sda26 / type ext4 (rw,relatime,data=ordered)
/dev/sda27 / type ext4 (rw,relatime,data=ordered)
/dev/sda28 / type ext4 (rw,relatime,data=ordered)
/dev/sda29 / type ext4 (rw,relatime,data=ordered)
/dev/sda30 / type ext4 (rw,relatime,data=ordered)
/dev/sda31 / type ext4 (rw,relatime,data=ordered)

```

4G

4G

➤ 4G

▣ 4G 60 ip Cellular 2/0 4G



- -
- - IP
 - dns
 -
- - 1 show flow-pre-mgr ip-info x.x.x.x, x.x.x.x PC IP
 - - IP
 - 2 114.114.114.114 dns 114
 - dns
 - 3

●



●



●



vlan
trunk

eg Gi0/2 vlan id trunk

16

Gi0/2 16

Gi0/2



-



-



EG key



802.1x

-

EG key



EG show run radius key snmp community

- EG

- radius-server host [IP] key
 - snmp-server community

-



- windows dot1x " 802.1x --11.X "
- window7 802.1x
- 802.1x 802.1x
- 802.1x SMP 2.54 SAM 3.5 windows2003 cisco ACS
- 802.1x
- 4008111000



锐捷网络



●



0



□

□

□

□

STA AP STA / WIFI

nat

●



●



“ - ”

- 1 .
 - 1) AC AP eg snmp trap ip eg ip snmp public eg police-
log set snmp community [P31]
 - 2) AC AP, AC AC snmp trap ip eg ip P31
 - 3) AC AP AP syslog ip AP AP syslog ip ip ip ip
- 2
- 3
- 4 AP



-

[illegible][illegible]

0210.00 GigabitEthernet 0/20.00 GigabitEthernet 0/21.00 GigabitEthernet 0/22.00 GigabitEthernet 0/23.00
 0210.01 GigabitEthernet 0/24.00 GigabitEthernet 0/25.00 GigabitEthernet 0/26.00 GigabitEthernet 0/27.00



```
Ruijie#debug usb-tty
Running this command may take some time, please wait.
Query mode      : +GTUSBMODE: 18
Serial number    : +CGSN: "863234055393582"
Mode SN         : T+CFSN?+CFSN: "N609MN005P"
Work pattern     : +CFUN: 1,0
AT+CPIN?        : ERROR
Signal intensity: T+CSQ?+CSQ: 31,99
IP message       : +GTRNDIS: 0
Tel num         : T+CNUM?ERROR
Set mode        : ERROR
```



- Web



修改密码

重启设备

恢复出厂设置

配置备份

导出当前配置

文件名：

选择文件

未选择任何文件

导入配置

查看当前配置

查看当前配置



修改密码

重启设备

恢复出厂设置

说明：恢复出厂设置，将删除当前所有配置。如果当前系统有有

恢复出厂设置

•

➤ a telnet

➤ b ruijie#

Y

```
Ruijie#delete flash:config.text  
Do you want to delete [flash:/config.text]? [Y/N]:y
```

➤ c ruijie#

Y

```
Ruijie#reio  
Ruijie#reload  
Reload system?(Y/N)y
```



- Web



ip

IP



EG

PC

IP



●



•

console telnet SSH EG


EG ip 192.168.1.1 2/MGMT

192.168.1.2 IP

copy success



copy tftp://192.168.1.2/rgos.bin sata0:rgos.bin



upgrade sata0:rgos.bin force

sh version







license



url



DNS

检测当前最新特征库

应用分类库

URL库

立即更新

应用分类库URL库

THANKS

29

100036

Office Tel: 010-51715999

Fax: 010-51413399

4008-111-000

www.ruijie.com.cn



A 11

