





Ruijie

-
-
-

-
-
-
-

1

RG-PF2920-DPB0X-P

PoE

■ RG-PF2920-DPB0X-P

	10/100/1000M Base-T	SFP	PoE	X	
RG-PF2920-DPB0X-P	1	1	30W	40.0mm x 120.0mm x 28.7mm	

 1000Base-T 100Base-T

1.1 RG-PF2920-DPB0X-P



	V1.00	0-45	0-1800m	
	V1.10	0-60	0-1800m	
	1	0	-20	
	2	1800~5000m	220m	1
	3	45		
	-40℃	70℃		
	10%	90% RH		
	5%	95% RH		
EMC				
x	x	40.0mm x 120.0mm x 28.7mm		
kg	0.2			




:

RG-PF2920-DPBOX-P 1 10/100/1000M Base-T 1 SFP 54V_DC

1-1 RG-PF2920-DPBOX-P



1-1 RG-PF2920-DPBOX-P



	10/100/1000Base-T	DC
	SFP	
		POE
	SFP	

1)

2)

3)

4)

1)

2)

1)

2)

3)

4)

1)

2)

RG-PF2920-DPBOX-P

1

2

3

RG-PF2920-DPBOX-P


0°C 60°C 0-1800m	10%-90%

$\geq 0.5 \mu m$	/m3	$\leq 3.5 \times 10^6$
$\geq 5 \mu m$	/m3	$\leq 3 \times 10^4$

EMI

EMI

3.1



3.2

- 1
 - 2
 - 3
 - 4
 - 5
 - 6
-

3.4

1)

2)

4.1



4.2



status		
RJ45	100	

A

1000BASE-T/100BASE-TX/10BASE-T

1000BASE-T/100BASE-TX/10BASE-T				MDI/MDIX Crossover	
1000BASE-T	IEEE 802.3ab	100-ohm 5	5	UTP	STP
	STP	100			
1000BASE-T	4	4	1000BASE-T		A-1

A-1 1000BASE-T



100BASE-TX/10BASE-T	10Mbps	100-ohm 3 4 5	100Mbps
100-ohm 5	100	100BASE-TX/10BASE-T	

A-2 100BASE-TX/10BASE-T

Pin		
1	Input Receive Data+	Output Transmit Data+
2	Input Receive Data-	Output Transmit Data-
3	Output Transmit Data+	Input Receive Data+
6	Output Transmit Data-	Input Receive Data-
4 5 7 8	Not Used	Not Used

100BASE-TX/10BASE-T

B —

GE-SFP-SX

C —

RG-PF2920-DPB0X-P

		5	
7			
	7		10
SFP	5		10
	25		
20			
10			

D —
