

Ø W

Ⓐ

Ø 𐄀

z 𐄀Vid

z 𐄀zkK

z 𐄀

𐄀

z iH𐄀 <https://www.ruijie.com.cn>

z iH𐄀 𐄀𐄀𐄀 <https://www.ruijie.com.cn/fw/>

z iH:𐄀 𐄀𐄀 <https://wind.ruijie.com.cn/>

z iH𐄀 7\*24h𐄀𐄀 <https://ocs.ruijie.com.cn>

z iH𐄀 7\*24h𐄀 y 4008-111-000

z iH𐄀𐄀𐄀 4i:𐄀 <https://www.ruijie.com.cn/special/fw/tool/xryf/>

z iH𐄀4 𐄀 𐄀 4008111000@ruijie.com.cn

z iH𐄀4𐄀

|                                                                                   |           |
|-----------------------------------------------------------------------------------|-----------|
|  | 怪         |
| > 4mN10H73B9628*08gL]73L7                                                         |           |
|  | B*D       |
| N0/p1>3B9P28*[HD0                                                                 |           |
|  | 7 / (be70 |
| N(be7B*D>                                                                         |           |

### 3. 7

EB9740M00

02

ù ¢

ù ^

| 字母     | 名称                                      |
|--------|-----------------------------------------|
| μ      | μRUIJIE                                 |
| VDI    | VDIg Virtual Desktop Infrastructure     |
| IDV    | IDVg Intelligent Desktop Virtualization |
| TCI    | TCIg Transparent Client Infrastructure  |
| RG-CDC | RG-CDCg Ruijie Cloud Desktop Controller |
| RG-CCP | RG-CCPg Ruijie Cloud Computing Platform |


## 2<sup>é</sup>

3 f ž

|          | ř | ch | ož  |
|----------|---|----|-----|
| i B*D    |   |    |     |
| 4. Lk>ž, | h | >ž | > 8 |
| tar>     |   |    |     |

```

graph TD
    Start([Start]) --> Step1[Step 1: Initial state]
    Step1 --> Step2[Step 2: Expansion]
    Step2 --> Decision1{Decision 1}
    Decision1 -- k --> Set1[Set 1]
    Decision1 -- ~ --> Step3[Step 3]
    Set1 --> Step3
    Step3 --> Decision2{Decision 2}
    Decision2 -- k --> Set2[Set 2]
    Decision2 -- ~ --> Step4[Step 4]
    Set2 --> Step4
    Step4 --> End([End])
  
```



| V | Rf | Rf                                                 |
|---|----|----------------------------------------------------|
| Ů | ě  | Ů ě k ůVoD} y ä ISOöž                              |
|   | ô  | B' RG-CDCy RG-CCPšš• *<br>BMC} o•HalopGŠÄ<br>př ož |
| í | æ  | šDPřV<br>kV-1š                                     |
|   | ä  | " : Ä ōVoÄ Cö ISOŽ h                               |

| W8                 | R£                         | R£f                                                                  |
|--------------------|----------------------------|----------------------------------------------------------------------|
|                    | <a href="#">GuestToolÁ</a> | ék ƒ GuestToolÁ]oeGbv<br>  k, Ā Linuxy ƒ Ā VDIy ƒ<br>} ƒ GuestToolÁž |
| <a href="#">èò</a> | <a href="#">Halo}</a>      | ékĥ Haloĥ 90žž                                                       |
| <a href="#">èò</a> | <a href="#">ù</a>          | ék ƒ VDI/IDV/TCI:ĥ Gĥ3oĥ<br>vž                                       |

## 4.1

#### 4.1.1 ~~4~~

**B站**

 **⚠**  
A(b-~~09~~09pü

= 4-2 ~~4E~~

| Œ        | Œ         | ... Œ                        | Œ                         |
|----------|-----------|------------------------------|---------------------------|
| Œ ISO    | Œ         | RG-COS_V10.2_R4P1.XXX.iso    | Œ ISO Œ x eQ<br>Œ Œ<br>ož |
| RCCD}    | Œ         | RG-RCC_V6.0_R4P2.XXX.tar.gz  | DŒ<br>RG-CDCož            |
| IDVŒ ISO | IDVŒ<br>€ | RG-RainOS_X86_Common_XXX.iso | IDVŒ Œ ISO                |

#### 4.1.2 Ø

1. \ RG-



(2) " HaloWÀ [WÀ ]4 g3k HaloWÀUR RG-CDC4 hk Eà BMC}  
WÀ G' 43os 3bž

¢ 4-2 É HALO V¿

¢ 4-3 BMC ǫ V¿

3. ǫ Halo

#### 4. 6


✓ Ÿ /(be7â  
RCC\_V6.0\_R4(b6e7P5\*ÚVEŮ>

! A6e

- F > P x5\* Ú W E D < P8 Þ ©L# F >, c ,° ,M~ >
- F > P x5\* Ú W E D < P8 Þ ZGÈ G-V ,° ,M~ ¬ ©L# >
- F > P x5\* Ú W E D Ð , 1 x < P g ~ >
- F > P x5\* Ú W E D4p1%+^ m < # ,± < VDIM>
- F > P x5\* Ú W E D4p1%+^ m < # 5LEÇK' >
- ?C»4Ý1x\*< Žadmin73UF \60P5\*ÚVE>
- , Ò C x ž!™ ^F >, VDI-Linux4p1%+^ m5LEÇK' <Ů>
- , Ò (5 Ž ^4p1%+^ m5LEÇK' ,F >5\* Ú W E DM6?·1x\*< Ž • Þ4p!~ 1 x >
- MiniCâ IDV/TCICP5\*ÚVE 73©L5LEÇ


(1) 6

## 4-4



## 4-5

## 4-5



## 4-5

图 4-6



## 4.2


### 4.2.1

- (1) `https://<VIP>:9230kqZMkCöž`
- (2) `.. [ð ]>[x ]k4 neÖ tar.gzöžèkx<ñ Xpöà < >köž`



- `+g ÄMINICÖL*EEG5Ö16PÝLÖÝ @Vöž`
- `^ 4ÝEý0A c , 6 0)æ C wAîH e,° /p ¥ ,B- 5 ä+k =B- 5 C f315 =B- 5 1 < W • >`
- `9 4Ý gC[ ,5 Eý P!W SB 'l gC[ ,B-6Š31 ¶ e C ×#4ö 4008 111 000>`

图 4-7 f tar 图d.



- (3) `https://<VIP>:8443kqZ y %kµ Ä öVož`
- (4) `µ. « öà <94 >öé RG-CDCÖknöž`

### 4.2.2

3Ä ISOöÖÄ ISOkköÖBÖÄ  
 € ISOöÖö U\*öÄ ISOy



- `B*D C × ž (~ b }4Ý f æ(~ b , 0Aä4p1% ISO4öDCöP>`
- `^ Web@44p% ISOmCPXgCöP`

• VDI= IDVÂ TCI4mM6? PEŸ ISO141431524%

ŋĚ

Cž

©%p

Ÿ

(1) ŋĚ https://<VIP>:8443kŸ y ŋĚ Ā ūVož

(2) à [©ĭ Ó ]>>[ ě ě ]C% n ě ISOož

(3) - ěk# <ě >7Z k# ěž

(4) # <% >7Z kĚ ěà <+ ' >7Z ož

¢ 4-8 0 f

(5) ěk# <Ÿ4 >ě ož

¢ 4-9 0

Ěo

NŤE

Ě

óž

## 4.2.3 f GuestTool }

i B\*D

CŋĚ,

©6ŠVDI]

ŋ°

W

(3) GuestTool:  $\leq 7\text{ Gb/s}$

### 4.3

### 4.3.1 Halo þ

**g** HaloW3kWAUR RG-CDC4 kř 90KPE  
、 ož

**⚠ 注意**

~~0A9P4E6N>~~

### 4.3.2 ~~One~~

(1) ~~fu~~ https://<VIP>:8443k£ Ā ðVož

(2) " RG-CDC [ð ]>>[v % ]kG' ¼ GuestToolwGbk3©Ā ISOkG' [© ĭ Ó ]>>[ ě ' ]pž

(3) # 1-2kJ CMROKk3o ož

(4) o IDV TCIkkg3oož

 B\*D

9. (b) `RCC_V6.0_R4P4D7306< LinuxM6P7734Y>@B-?` [5.4](#) [5L](#)  
`LinuxM6P7734Y Linux Guesttool4u >`

#### 4.4 **උදාහරණ**

4008

## 5 nP9

### 5.1 6 w

3b 4008 111 000L0

### 5.2 6 6

3b 4008 111 000L

¢ 5-1 6



### 5.3 6 6á

3b 4008-111-000L


### 5.4 6 Linux 6P

### Linux Guesttool }

#### 5.4.1 K

R6E RCC\_V6.0\_R4P4E k... RCDC\_REDHAT\_8\_V002.qcow2ê  
 RCDC\_UBUNTU\_1804\_V001.qcow2 0% o6Až k0P k  
 6eP ož

5-2



zIE ~ ]/E ... RCDC\_REDHAT\_8\_V002.qcow2ê RCDC\_UBUNTU\_1804\_V001.qcow2  
 0p 0o ožE RCC\_V6.0\_R4P4E 0 kōP  
 k4ž keŕ ož

## 5.4.2

| Linux Guesttool               | 0ž      |
|-------------------------------|---------|
| i B*D                         |         |
| REDHAT8Â UBUNTU18.04TIPMAŕG3e | 123456> |