

RG-SF2920U

SF2920U_1.0(1)B6 WEB

V1.0

2024-04-29

copyright © 2024



-
-
-

-
-
-
-
-
-
-

<http://www.ruijie.com.cn>

<http://www.ruijie.com.cn/fw/>

7*24h

<http://ocs.ruijie.com.cn>

7*24h

4008-111-000

<http://www.ruijie.com.cn/special/fw/tool/xryf/>

4008111000@ruijie.com.cn

APP

1.



•

•



/


3.


1 WEB

1.1

WEB


WEB B





1.

WEB



2.

WEB

1.3.3

1.

/

/

MAC

PoE

/

- [] < >

2.

-

3. POE /ARP

MAC地址	端口	端口	POE开关设置	供电状态	供电功率	IP地址
0000.1822.3369	GI0/2	GI0/1	开启	关闭	0	172.29.15.1
		GI0/2	开启	关闭	0	
		GI0/3	开启	关闭	0	
		GI0/4	开启	关闭	0	
		GI0/5	开启	关闭	0	
		共 9 条				共 1 条

● POE

[POE] < > POE
 POE POE POE

● ARP


[ARP] < > ARP



1.3.4

1.


(1)

a






b




< >

< >





(2) IP



b OUI



C




< >

Voice-VLAN LLDP-MED

< >

< >




1.3.5

1.


(1) Ping

[Ping] IP < >




(2) Tracert

[Tracert] IP < >



(3)




_20220118182247.txt

2.

(1)



< > 1



(2)




2~3



(3) Boot



Boot




3.

(1)

a



< > config.json



b

< > < >



< >

(2)



< >

-

< > config.json

1.3.6

1.

(1)

[]



2 CLI




CLI

2.1

Ruijie(diag)>

WEB

CLI



exit

2.2

CLI

reboot

2.3

show_sys_info

2-1 show_sys_info

System description	
System software version	
System software number	
System boot version	boot
System serial number	SN
System hardware version	
System mac address	mac

2.4 IP

IP ifconfig

2-2 ifconfig

