





copyright © 2024 iHè

ÊËĖ

ÈHèPk~%yyK±BßÄgÖd

[illegible]

0.

0.

yü iHèà

67

١٣٤٥ (١٩٦٦)



Ø W

Ä

î æ ð

z ðvid

z ðt

z ð



W

z iHð <https://www.ruijie.com.cn>

z iHð <https://www.ruijie.com.cn/fw/>

z iH:ð <https://wind.ruijie.com.cn/>

z iHð 7\*24hð <https://ocs.ruijie.com.cn>

z iHð 7\*24hð 4008-111-000

z iHð 4i:ð <https://www.ruijie.com.cn/special/fw/tool/xryf/>

z iHð Fð ð [4008111000@ruijie.com.cn](mailto:4008111000@ruijie.com.cn)

z iHð 4Fð [doc@ruijie.com.cn](mailto:doc@ruijie.com.cn)

iHð

iHð

4i:ð APP

iH:ð

T,

1. ð

ð

---

👍 𐄂 /(-be7θ  
𐄂(-be7θ\*D>

---

2. 𐄂



D



## ù ¢

|        |   |
|--------|---|
| ù ^    | 1 |
| 1 DP   | 1 |
| 1.1 xž | 1 |
| 1.2    |   |

1

## 1.2 Ø

RG-CT7529CØM ðe òž

¢ 1-2 RG-CT7529 æ L k

= 1-2 ¢

| Ø | R        | ý                                    |
|---|----------|--------------------------------------|
| 1 | Øp       | 7ØØZ LEDØ<br>Ø 5Ø                    |
| 2 | USB 3.0Ø | 8 USB3.0Ø USB3.0Ø- UØ USB2.0Ø-<br>ØØ |
| 3 | USB 2.0Ø | 2 USB2.0Ø USB2.0ØØn<br>Ø             |
| 4 | Type-C   |                                      |

| ©Y | Œ/L    | yf                   |
|----|--------|----------------------|
| 8  | Œ      | NŒ • 10M/100M/1000MŒ |
| 9  | VGANM  | Nu4 VGANMPŒŒ         |
| 10 | HDMINM | Nu4 HDMINMPŒŒ        |
| 11 | NM     | NŒ ACz               |
| 12 | M      | Œ DB9MkNg*Œ z        |

## 1.3 CŒ

|                                                                                       |
|---------------------------------------------------------------------------------------|
|  B*D |
| A 0%73pG5EŒ-bŒBŒ-Œ-pŒ >                                                               |

= 1-3 RG-CT7529 Œ CŒ

| CŒ4 | RG-CT7529                                                                                                                     |
|-----|-------------------------------------------------------------------------------------------------------------------------------|
| Œ   | Œ                                                                                                                             |
| Œ   | RG-CT7529                                                                                                                     |
| CPU | C86 3350Œ 8Œ 3.0GHz                                                                                                           |
| Ä   | Œ<br>1*8GB DDR4 UDIMM 2666MHzCY<br>Œy<br>4*16GB DDR4 UDIMM 2666MHzCY                                                          |
| Œ   | Œ<br>1*256GB M.2 NVMe SSD<br>Œy<br>1*1TB M.2 NVMe SSD<br>1*1TB M.2 SATA SSD<br>1*2TB 2.5Œ SATA 3.0 Œ<br>1*2TB 3.5Œ SATA 3.0 Œ |
| Œ   | RG-CT7529                                                                                                                     |
| Œ   | 1 ACM<br>2 3.5mmŒŒ /Œ<br>2 3.5mmŒŒ /Œ<br>1 3.5mmŒŒ                                                                            |

|               |                                                                                                                                                                           |
|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|               | 2 10M/100M/1000M <br>1 Type-CNM<br>8 USB3.0NM<br>2 USB2.0NM<br>1 VGANM<br>1 HDMINM<br>2M |
| %pĖ           | N RAINOSgiHĖhu4                                                                                                                                                           |
| Wi-FiNM       | u4                                                                                                                                                                        |
| Rĭ            | u4                                                                                                                                                                        |
| ƒ             | <b>RG-CT7529</b>                                                                                                                                                          |
| Ė             | Ė                                                                                                                                                                         |
| Dŕg!<br>×× ×ĥ | 290mmx92mmx343mm                                                                                                                                                          |
| DŕMO          | 4.6kg                                                                                                                                                                     |
| ŕ MO          | 5.8kg                                                                                                                                                                     |
| %g            | u4                                                                                                                                                                        |
| Ė             | <b>RG-CT7529</b>                                                                                                                                                          |
| >             | Ĥ 1 ATX>                                                                                                                                                                  |
| ŕ             | u4Ag AChŕ<br>S ŕy 220V ACk 50Hz<br>S ŕ 3A                                                                                                                                 |
| Ė             | 90W                                                                                                                                                                       |
| ĖĤi           | <b>RG-CT7529</b>                                                                                                                                                          |
| †             | WĖ 0°C½ 40°C<br>Ė -40°C½ 70°C<br>ŕ# 3000~5000Ė#2 220kĖ 1-ož                                                                                                               |
| †             | WĖ 10%RH~90%RHg(Ė<br>Ė 5%RH~90%RHg(Ė                                                                                                                                      |
| #             | W#y 0m~5000m                                                                                                                                                              |
| <             | <b>RG-CT7529</b>                                                                                                                                                          |

|                                                                                                                                                                          |                                                                                                                                                                                                                                     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div> <div>  </div> <div> 1920×1080@60Hzg VGAh<br/> 4096×2160@60Hzg HDMIh </div> </div> |                                                                                                                                                                                                                                     |
| <div> <div>  </div> <div> <b>RG-CT7529</b> </div> </div>                                |                                                                                                                                                                                                                                     |
| <div> <div>  </div> <div> VESA </div> </div>                                            | <div> <div>  </div> <div> u4 </div> </div>                                                                                                         |
| <div> <div>  </div> <div> 0 </div> </div>                                               | <div> <div>  </div> <div> u4kcskUFa </div> <div>  </div> </div> |

## 2 Gô

## 2.1 GÊ

RG-CT7529 © 2015 Wkxby

z    ð    :Ä    Ñeá    10cmññkG3oñkè.

Mož

z 3eWkA%ykôPôE1k

C° 00515x14/4

 $0\{C^{1/2}40\{Ck\hat{W}/t$ 

-10{ C<sup>1/2</sup> 50{ C<sub>kx</sub>√t

10%RH $\frac{1}{2}$  90%RHk $\frac{1}{2}$

5%RH $\frac{1}{2}$  95%RHq $\frac{1}{2}$ 6 $\frac{1}{2}$

484 ~~Ž~~ ~~Ž~~

15

POŽ

Z 800% 6000-8. PKNKÄ

~~žžžžž~~

Ä ÄmÖ%

Lk988888ž

## 2.2 $GV_{\mathcal{I}}$


$$= 2-1 \quad \text{V}$$
[illegible]

## 2.3 | 6

z xĕ : ä ěGǒž

$$Z \quad G' \quad : \ddot{A} \quad xy \ddot{Z} \ddot{P} \ddot{A} \ddot{Z}$$

z 93FF-ÊFõž

# 3 G±

## 3.1 2

30 : 2 : 2

3-1 2



⚠ #E

B-.. Ç 4p%ÐOÂO× Fw(Ÿ

¢ 3-2 Ÿ

3.2 Ÿ

Ÿ VGAgē HDMIhCŸŸ- Vμ : Ÿ NM kw1ŸŸ

¢ 3-

3.3 

7      y :



 B\*D

Ñ 10216

z

Ñ 92

ç5