

**RG-UAC 6000 U3100, U3210,
X300D**

copyright ©

<https://www.ruijie.com.cn>

<https://www.ruijie.com.cn/fw/>

7*24h

<https://ocs.ruijie.com.cn>

7*24h

4008-111-000

= =

<https://www.ruijie.com.cn/special/fw/tool/xryf/>



4008111000@ruijie.com.cn

doc@ruijie.com.cn



APP

1.



2.

		I
1		1
1.1		1
1.2 RG-UAC6000 U3100		1
1.2.1		1
1.2.2		3
1.2.3		3
1.3 RG-UAC6000 U3210		5
1.3.1		5
1.3.2		7
1.3.3		7
1.4 RG-UAC6000 X300D		9
1.4.1		9
1.4.2		10
1.4.3		11
2		13
2.1		

2.2.9		16
2.3		16
2.4		16
3		17
3.1		17
3.2		17
3.3		17
3.4		18
3.4.1		18
3.4.2		18
3.5		19
3.6		20
3.7		20
4		21
4.1		21
4.2		21
4.2.1		21
4.2.2		21
4.3		22
5		23
5.1	CLI	23
5.2		23
5.2.1		23
5.2.2		23
5.2.3		23
5.2.4		23

1

1.1

RG-UAC 6000

1.2 RG-UAC6000 U3100

1.2.1

1.

1-1

1-1

1	PWR	
2	HDD	

7	Link/ACT	Link Up Link Up
8		1Gbps/10Gbps
9	10GE SPF+	2 8F~9F
10	1GE SPF	2 6F~7F
11	10/100/1000BASE-T	6 0~5 10/100/1000M 0 MGMT 2 3 Bypass
12	Console	RS-232 RJ-45 Console 115200bps 8 1 Console Bypass Bypass Bypass
13	Bypass	

4		

5

	6	10/100/1000BASE-T
	2	1GE SPF
	2	10GE SPF+

1.3 RG-UAC6000 U3210

1.3.1

1.

1-3

1-5

--	--	--

6	10GE SPF+ Link/ACT	Link Up Link Up
7	10GE SPF+	

--	--	--

	8GB CF
	2TB
	6 10/100/1000BASE-T

1.4 RG-UAC6000 X300D

1.4.1

1.

1-5



1-9

1	PWR	3Hz 1 3 10Hz 1 10 5
2	USB	
3	Console	RJ-45 RS-232 Console 9600bps 8 1 Console
4	MGMT	https://192.168.1.200
5	HDD	
6		

2.

1-6

1-10

1		
2		4
3		
4		AC

1.4.2

1-11

--	--	--	--

10	()	1		
11		1		
12	()	2		X

1.4.3

1-12

	RG-UAC6000 X300D
	32GB DDR4 ECC
	8GB CFAST
	2TB
	2 RJ45 MGT 1 RJ45 Console
USB	2 USB 2.0
Bypass	6 Bypass
	4
	RG-SEC-4GE4SFP-N RG-UAC 6000-X300D-4XEF RG-UAC 6000-X300D-2QXS
	2 2
	90V AC~264V AC 50Hz~60Hz
	8A
	350W
	1+1
	4
	1920x1080
	CCC
EMC	GB9254-2008

	GB4943-2011
x x	435mmØ500mmØ88mm
	12kg
	0%~40%
	5%RH 90%RH
	-10%~55%
	5%RH 90%RH
	0m-5000m



2

2.1





2.2

2.2.1

2.2.2

2.2.3

0.8

0.4

2.2.4 /

/



1.5m

0.4m

2.2.5

2-1

◦ 0.5um	/m´	■3.5Ø10^6
◦ 5um	/m´	■3.5Ø10^4

2-2

	mg/m3	mg/m3
	0.2	1.5
	0.006	0.03
	0.04	0.15
	0.05	0.15
	0.01	0.3



30

2.2.6



1Ω

2.2.7

3-1

U3210



(2)

(3)

3.4

3.4.1

RG-UAC 6000

(1)



(2)

(3)


(4)

1U

3.4.2



3.5



4"

1Ω

- ### 3.7

4

4.1

RG-UAC 6000

[4-1](#)

4-1

DHCP	DHCP
------	------

4.3

PC	https://192.168.1.200	<Enter>	Web
----	-----------------------	---------	-----

			
https	http://192.168.1.200		

5

5.1 CLI



5.2

5.2.1

5.2.2

5.2.3

5.2.4